

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) 2015/830

## **Section 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1 Product Identifier**

Product Name: **Ink, MEK Green Soft Pigment**  
Product Code: **51-0004-01**

### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Product Use: Printing ink for use in BestCode CIJ

### **1.3 Details of the supplier of the safety data sheet**

BestCode  
3034 SE Loop 820  
Fort Worth, TX 76140  
817-349-8555

**For further information, please contact Customer Service:**

Customer Service: 817-349-8555  
Email: [Info@Bestcode.co](mailto:Info@Bestcode.co)

### **1.4 Emergency telephone number**

Emergency Contact: Local Poison Information Center  
Chem Tel. Inc. Toll Free 800-255-3924  
International 813-248-0585

## **Section 2: Hazards identification**

### **2.1 Classification of the mixture in accordance with Article 40 of Regulation (EC) No 1272/2008**

#### **GHS Rating:**

Flammable liquid, Category 2  
serious eye damage/eye irritation, Category 2  
Specific Target Organ Toxicity, Single Exposure –Narcotic effects/Drowsiness- Category 3

### **2.2 Label elements**



Signal word: Danger



# Safety Data Sheet

Date: 11/12/19

Product Number: 51-0004-01

Revision: **B**

Product Name: Ink, MEK Green Soft Pigment

## Hazard statements:

H225 Highly flammable liquid and vapor

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

## Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces - No smoking

P240 Ground/bond container and receiving equipment

P241 Use explosion-proof electrical/ventilating/lighting equipment

P242 Use only non-sparking tools

P243 Take precautionary measures against static discharge

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling

P271 Use only outdoors or in a well-ventilated area

P280 Wear protective gloves/protective clothing/eye protection/face protection

P312 Call a POISON CENTER or doctor/physician if you feel unwell

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing

P370+P378 In case of fire: Use: Use sand, carbon dioxide or powder extinguisher to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed

P403+P235 Store in a well-ventilated place. Keep cool

P405 Store locked up

P501 Dispose of contents/container in accordance with applicable local, state, or federal regulations

## 2.3 Other Hazards

May be harmful if swallowed (GHS category 5: acutely toxic - oral).

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# Safety Data Sheet

Product Number: 51-0004-01      Date: 11/12/19  
 Product Name: Ink, MEK Green Soft Pigment      Revision: B

## Section 3: Composition/information on ingredients

### 3.1 Substances:

### 3.2 Mixtures:

CAS #	EC #	Hazardous components / REACH Registration No.	Concentration	GHS Classification
78-93-3	201-159-0	Methyl Ethyl Ketone	75.0-90.0%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
1941-27-1	217-726-0	Tetrabutylammonium nitrate	1.0-5.00%	Ox. Sol. 2; Skin Irrit. 2; Eye Irrit. 2A; STOT SE 3; H272, H315, H319, H335
108-94-1	203-631-1	Cyclohexanone	<1.0%	Oral Toxicity Acute Tox. 4 (H302) Dermal Toxicity Acute Tox. 3 (H311) Inhalation Toxicity Acute Tox. 4 (H332) Skin corrosive 2 (H315) Eye corrosive 1 (H318)
2386-87-0	219-207-4	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	<1.0%	Skin Sens. 1; Aquatic Acute 3; Aquatic Chronic 3; H317, H402, H412

## Section 4: First Aid Measures

### 4.1 Description of first aid measures

**Inhalation**      If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

**Eyes:**      Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

**Skin:**      Wash with plenty of soap and water.

**Ingestion:**      Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

**General Notes:**      Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case

of unconsciousness place person in the recovery position. Never give anything by mouth.

**4.2 Most Important symptoms and effects, both acute and delayed**

Narcotic effects.

**4.3 Indication of any immediate medical attention and special treatment needed**

NA

## **Section 5: Fire Fighting Measures**

**5.1 Extinguishing media**

Use: Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>).

**5.2 Special hazards arising from the substance or mixture**

In case of insufficient ventilation and/or in use, may form flammable/explosive vapor-air mixture. Solvent vapors are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products  
Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Coordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## **Section 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

**6.1.1 For non-emergency personnel**

Evacuate

**6.1.2 For emergency responders**

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

# Safety Data Sheet

Product Number: 51-0004-01      Date: 11/12/19  
Product Name: Ink, MEK Green Soft Pigment      Revision: B

## 6.2 Environmental Precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

## 6.3 Methods and material for containment and cleaning up

### 6.3.1 For Containment:

Covering of drains

### 6.3.2 Clean up and disposal of spill:

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal Binder. Place in appropriate containers for disposal. Ventilate affected area.

## Section 7: Handling and storage

### 7.1 Precautions for safe handling

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion- proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapors are heavier than air, spread along floors and form explosive mixtures with air. Vapors may form explosive mixtures with air.

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feeding stuffs.

### 7.2 Conditions for safe storage, including any compatibilities

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight. Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight. Use local and general ventilation. Ground/bond container and receiving equipment. Only packagings which are approved (e.g. acc. to the Dangerous Goods Regulations) may be used.



# Safety Data Sheet

Date: 11/12/19

Product Number: 51-0004-01

Revision: B

Product Name: Ink, MEK Green Soft Pigment

## 7.3 Specific end use(s)

Fluid delivery to BestCode Series 8 CIJ. Follow safety instructions outlined in 7.1 & 7.2 while handling. Observe warnings provided with BestCode Series 8 CIJ system when installing and handling fluids

## Section 8: Exposure control/personal protection

### 8.1 Control parameters

CAS #	Hazardous components	ACGIH TLV	Australia	Austria
78-93-3	Methyl Ethyl Ketone	200 ppm/8 hour		TWAs - 100 ppm
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone	25 ppm/skin/10hr		TWAs - (MAK-TMWs) 5 ppm STELs - (MAK-KZWs) 20 ppm
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			

CAS #	Hazardous components	Belgium OEL	California, USA PELs	Ontario, CA
78-93-3	Methyl Ethyl Ketone	200 ppm TWA	PELs 200 ppm STELs 300 ppm	STELs 300 ppm PELs 200 ppm
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone	STELs 20 ppm TWAs 10 ppm		STELs 50 ppm TWAs 20 ppm
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			

CAS #	Hazardous components	China	Québec, CA	German AGS
78-93-3	Methyl Ethyl Ketone		STELs 100 ppm PELs 50 ppm	
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone		TWAEVs 25 ppm	TRGS 900 - TWAs (AGWs) 20 ppm

# Safety Data Sheet

Date: 11/12/19

Product Number: 51-0004-01

Revision: B

Product Name: Ink, MEK Green Soft Pigment

2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			
-----------	---	--	--	--

CAS #	Hazardous components	Germany MAK/TRK	Denmark OEL	Spain OEL
78-93-3	Methyl Ethyl Ketone	200 ppm TWA	50 ppm TWA	
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone		TWAs 10 ppm	STELs 20 ppm TWAs (VLA-EDs) 10 ppm
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			

CAS #	Hazardous components	Europe	Finland OEL	France VL
78-93-3	Methyl Ethyl Ketone		STELs 100 ppm	300 ppm STEL 200 ppm TWA
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone		STELs 20 ppm TWAs 10 ppm	STELs (VLCT) 20 ppm TWAs (VME) 10 ppm
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			

CAS #	Hazardous components	Hungary OEL	Ireland OEL	Italy OEL
78-93-3	Methyl Ethyl Ketone	900 mg/m <sup>3</sup> STEL 600 mg/m <sup>3</sup> TWA	300 ppm STEL 200 ppm TWA	300 ppm STEL 200 ppm TWA
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone	STELs (CKs) 81.6 mg/m <sup>3</sup> TWAs (AKs) 40.8 mg/m <sup>3</sup>	STELs 20 ppm STEL; 81.6 mg/m <sup>3</sup> TWAs 10 ppm TWA; 40.8 mg/m <sup>3</sup>	STELs 20 ppm TWAs 10 ppm

# Safety Data Sheet

Date: 11/12/19

Product Number: 51-0004-01

Revision: B

Product Name: Ink, MEK Green Soft Pigment

2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			
-----------	---	--	--	--

CAS #	Hazardous components	South Korea	Latvia OEL	Mexico OEL
78-93-3	Methyl Ethyl Ketone	STELs 300 ppm TWAs 200 ppm	300 ppm STEL 67 ppm TWA	300 ppm STEL 200 ppm TWA
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone	STELs 50 ppm TWAs 25 ppm	STELs 20 ppm TWAs 10 ppm	STELs (LMPE-CTs) 100 ppm TWAs (LMPE-PPTs) 50 ppm
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			

CAS #	Hazardous components	Malaysia OEL	NIOSH	Netherlands OEL
78-93-3	Methyl Ethyl Ketone		STELs 300 ppm TWAs 200 ppm	
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone		TWAs 25 ppm	
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			

CAS #	Hazardous components	New Zealand	OSHA PELs	Poland
78-93-3	Methyl Ethyl Ketone	STELs 300 ppm TWAs 150 ppm	200 ppm/8 hour	STELs 900 mg/m <sup>3</sup> TWAs 450 mg/m <sup>3</sup>
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone	TWAs 25 ppm	50 ppm/skin/8hr	STELs (NDSChs) 80 mg/m <sup>3</sup> TWAs (NDSs) 40 mg/m <sup>3</sup>
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid,			



# Safety Data Sheet

Date: 11/12/19

Product Number: 51-0004-01

Revision: B

Product Name: Ink, MEK Green Soft Pigment

	7-oxabicyclo[4.1.0] hept-3-yl methyl ester			
--	--	--	--	--

CAS #	Hazardous components	Sweden OEL	Singapore	Britain EH40
78-93-3	Methyl Ethyl Ketone		PELs 200 ppm STELs 300 ppm	
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone	STELs (STVs) 20 ppm	PELs 25 ppm	STELs 20 ppm TWAs 10 ppm
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			

CAS #	Hazardous components	Switzerland OEL	Japan OEL	
78-93-3	Methyl Ethyl Ketone			
1941-27-1	Tetrabutylammonium nitrate			
108-94-1	Cyclohexanone			
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester			

## 8.2 Exposure controls:

### 8.2.1 Appropriate engineering controls:

General ventilation.

### 8.2.2 Individual protection measures, such as personal protective equipment

#### Eye/Face protection:

Wear eye/face protection.

#### Skin protection:

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



# Safety Data Sheet

Date: 11/12/19

Product Number: 51-0004-01

Revision: B

Product Name: Ink, MEK Green Soft Pigment

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

**Respiratory protection:**  
**Hygienic Practices:**

Wash hands thoroughly after handling.  
In case of inadequate ventilation wear respiratory protection.  
DO NOT SMOKE IN WORK AREA! Promptly remove contaminated clothing. Wash immediately if skin becomes contaminated. Do not eat or drink in work area while using this product. Wash thoroughly at the end of the workday, before eating and using the restroom.

## Section 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Appearance:</b>	Green Liquid		
<b>Odor:</b>	Pungent	<b>Odor threshold:</b>	-
<b>pH:</b>	-	<b>Melting point:</b>	-
<b>Boiling range:</b>	79C	<b>Flash point:</b>	-8C, 17.6F
<b>Evaporation rate:</b>	-	<b>Upper Explosive Limit:</b>	-
		<b>Lower Explosive Limit:</b>	-
<b>Flammability:</b>	Highly flammable liquid and vapor	<b>Vapor Pressure:</b>	-
<b>Vapor density:</b>	-	<b>Relative Density:</b>	0.848
<b>Solubility(ies):</b>	-	<b>Partition coefficient n-octanol/water:</b>	-
<b>Auto-ignition temperature:</b>	-	<b>Decomposition temperature:</b>	-
<b>Viscosity:</b>	-		
<b>Explosive properties:</b>	-		
<b>Oxidizing properties:</b>	-		

### 9.2 Other information:

<b>Miscibility:</b>	Not miscible in water	<b>VOC:</b>	6.2lb/gal
---------------------	-----------------------	-------------	-----------

## Section 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s).

Risk of ignition if heated.

# Safety Data Sheet

Product Number: 51-0004-01      Date: 11/12/19  
Product Name: Ink, MEK Green Soft Pigment      Revision: B

## 10.2 Chemical stability

See below "Conditions to avoid".

## 10.3 Possibility of hazardous reactions

This product is stable under normal conditions.

## 10.4 Conditions to avoid:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

## 10.5 Incompatible materials:

Oxidizers

## 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## Section 11: Toxicological information

### 11.1 Information on Toxicological effects

<b>Acute toxicity:</b>	Shall not be classified as acutely toxic.
<b>Skin corrosion/irritation:</b>	Shall not be classified as corrosive/irritant to skin.
<b>Serious eye damage/irritation:</b>	Causes serious eye irritation.
<b>Respiratory or skin sensitization:</b>	Shall not be classified as a respiratory or skin sensitizer.
<b>Germ cell mutagenicity:</b>	Shall not be classified as germ cell mutagenic.
<b>Carcinogenicity:</b>	Shall not be classified as carcinogenic.
<b>Reproductive toxicity:</b>	Shall not be classified as a reproductive toxicant.
<b>STOT-single exposure:</b>	May cause drowsiness or dizziness.
<b>STOT-repeated exposure:</b>	Shall not be classified as a specific target organ toxicant (repeated exposure).
<b>Aspiration hazard</b>	Shall not be classified as presenting an aspiration hazard.

#### 11.1.1 Hazard Class information:

#### 11.1.2 Mixture toxicity:

Oral Toxicity LD50: 2,836mg/kg  
Inhalation Toxicity LC50: 957mg/L

108-94-1 cyclohexanone

## Safety Data Sheet

Product Number: 51-0004-01      Date: 11/12/19  
Product Name: Ink, MEK Green Soft Pigment      Revision: B

Oral LD50: 1,535 mg/kg (rat) Dermal LD50: 946 mg/kg (rabbit) Inhalation LC50: 15 mg/L (rat)

**11.1.3 Critical studies:**

**11.1.4 Non-compliance hazard class:**

**11.1.5 Information on likely routes of exposure:**

**11.1.6 Symptoms related to the physical, chemical and toxicological characteristics:**

**11.1.7 Delayed and immediate effects as well as chronic effects from short and long-term exposure:**

**11.1.8 Interactive effects:**

**11.1.9 Absence of specific data:**

**11.1.10 Mixtures:**

**11.1.11 Mixture vs Substance information:**

**11.1.12 Other information:**

### **Section 12: Ecological information**

**12.1 Toxicity:** Shall not be classified as hazardous to the aquatic environment.

**12.2 Persistence and degradability:** Not determined

**12.3 Bioaccumulative potential:** Not determined

**12.4 Mobility in soil:** Not determined



# Safety Data Sheet

Date: 11/12/19

Product Number: 51-0004-01

Revision: **B**

Product Name: Ink, MEK Green Soft Pigment

12.5 Results of PBT and vPvB assessment: Not determined

12.6 Other adverse effects: Not determined

## Section 13: Disposal considerations

### 13.1 Waste treatment methods:

Utilize Solvent reclamation/regeneration. Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets. Only packaging's which are approved (e.g. acc. to DOT) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## Section 14: Transport information

14.1	UN number:	1210
14.2	Proper shipping name:	
	US DOT:	Printing Ink
	Canadian TDG:	Printing ink, [flammable or] Printing ink related material [(including printing ink thinning or reducing compound), flammable]
	European ADR/RID:	Printing ink, [flammable or] Printing ink related material [(including printing ink thinning or reducing compound), flammable]
	IMDG/IMO:	Printing ink, [flammable or] Printing ink related material [(including printing ink thinning or reducing compound), flammable]
	ICAO/IATA:	Printing ink, [flammable or] Printing ink related material [(including printing ink thinning or reducing compound), flammable]
14.3	Transport hazard class(es) :	3 - FLAMMABLE LIQUID
14.4	Packing group:	II
14.5	Environmental hazards:	N/A
14.6	Special precautions for user:	N/A
14.7	Transport in bulk according to Annex II of Marpol and the IBC Code:	N/A

# Safety Data Sheet

Product Number: 51-0004-01      Date: 11/12/19  
 Product Name: Ink, MEK Green Soft Pigment      Revision: B

## Section 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists				
CAS #	Hazardous components	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
78-93-3	Methyl Ethyl Ketone	No	Yes 5000lb	No
1941-27-1	Tetrabutylammonium nitrate	No Data	No Data	No Data
108-94-1	Cyclohexanone	No Data	No Data	No Data
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	No Data	No Data	No Data

CAS #	Hazardous components	Canadian NPRI	Canadian Toxic	Canadian DSL
78-93-3	Methyl Ethyl Ketone	Yes 1 Tonne	No	Yes
1941-27-1	Tetrabutylammonium nitrate	No Data	No Data	No Data
108-94-1	Cyclohexanone	No Data	No Data	Yes
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	Yes 1 Tonne	No	Yes

CAS #	Hazardous components	CAA HAP, ODC	CWA NPDES	TSCA
78-93-3	Methyl Ethyl Ketone	No	No	Yes - Inv
1941-27-1	Tetrabutylammonium nitrate	No Data	No Data	No Data
108-94-1	Cyclohexanone	No	No	Yes
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	No Data	No Data	No Data

CAS #	Hazardous components	CA Prop 65	Mexico INSQ	Australia ICS
78-93-3	Methyl Ethyl Ketone	No	Listed	Listed
1941-27-1	Tetrabutylammonium nitrate	No Data	No Data	No Data
108-94-1	Cyclohexanone	No	Listed	Listed
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	No Data	No Data	No Data

# Safety Data Sheet

Product Number: 51-0004-01      Date: 11/12/19  
 Product Name: Ink, MEK Green Soft Pigment      Revision: B

CAS #	Hazardous components	New Zealand IOC	China IECSC	Japan ENCS
78-93-3	Methyl Ethyl Ketone	Listed	Listed	Yes - 2-542
1941-27-1	Tetrabutylammonium nitrate	No Data	No Data	No Data
108-94-1	Cyclohexanone	Listed	Listed	Listed
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	No Data	No Data	No Data

CAS #	Hazardous components	Japan ISHL	Korea ECL	Philippines
78-93-3	Methyl Ethyl Ketone	Listed	Yes KE-29367	Listed
1941-27-1	Tetrabutylammonium nitrate	No Data	No Data	No Data
108-94-1	Cyclohexanone	Listed	Listed	Listed
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	No Data	No Data	No Data

CAS #	Hazardous components	Taiwan TCSCA	Singapore HSL	Israel HSL:
78-93-3	Methyl Ethyl Ketone	Listed	No	No
1941-27-1	Tetrabutylammonium nitrate	No Data	No Data	No Data
108-94-1	Cyclohexanone	Listed	No	No
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	No Data	No Data	No Data

CAS #	Hazardous components	Germany WHCS	Switzerland Giftliste 1	Switzerland INNS
78-93-3	Methyl Ethyl Ketone	Yes – 150	Yes G-2429	No
1941-27-1	Tetrabutylammonium nitrate	No Data	No Data	No Data
108-94-1	Cyclohexanone	No	No	No
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	No Data	No Data	No Data

# Safety Data Sheet

Product Number: 51-0004-01      Date: 11/12/19  
 Product Name: Ink, MEK Green Soft Pigment      Revision: B

CAS #	Hazardous components	REACH	Kyoto GHG	Rotterdam
78-93-3	Methyl Ethyl Ketone	Yes - (R), (P)	No	No
1941-27-1	Tetrabutylammonium nitrate	No Data	No Data	No Data
108-94-1	Cyclohexanone	No Data	No	No
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	No Data	No Data	No Data

CAS #	Hazardous components	Stockholm		
78-93-3	Methyl Ethyl Ketone	No		
1941-27-1	Tetrabutylammonium nitrate	No Data		
108-94-1	Cyclohexanone	No		
2386-87-0	7-Oxabicyclo[4.1.0] heptane-3-carboxylic acid, 7-oxabicyclo[4.1.0] hept-3-yl methyl ester	No Data		

## 15.2 Chemical safety assessment

### Section 16: Other information

Revision Date: 11/12/19  
 Revision Notes: Updated format  
 Additional Information:

#### Company Disclaimer:

The information and recommendations contained herein are, to the best of BestCode's knowledge and belief, accurate and reliable as of the date issued. Because many factors may affect processing or application/use, BestCode recommend that you make tests to determine the suitability of a product for your particular purpose prior to use. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not-permitted. In no case shall the descriptions, information, data or designs provided be considered a part of our terms and conditions of sale. Further, you expressly understand and agree that the descriptions, designs, date and information furnished by BestCode hereunder are given gratis and BestCode assumes no obligation or liability for the description, designs, data and information given or results obtained. All such being given and accepted at your risk.